

Chlorine 1 ppm - 8 ppm
 PH 7.2 - 7.8
 Alk 60 ppm - 180 ppm
 Spa Temp 104 degree max

Dates	Pool Condition	Chlorine Pool	Chlorine Spa	Ph Pool	Ph Spa	Alk Pool	Alk Spa	Spa Temp	Chlorine	Soda Ash	Muradic Acid	Clarifier	Algacide	Gate	Deck Condition	Life Hook	Life Ring	Life Rope	Main Drains
Sample	Good	4.0	5.0	7.2	7.4	80	100	101	X	X		X	X	X	Good	X	X	X	X
1-Jan																			
2-Jan																			
3-Jan																			
4-Jan																			
5-Jan																			
6-Jan																			
7-Jan																			
8-Jan																			
9-Jan																			
10-Jan																			
11-Jan																			
12-Jan																			
13-Jan																			
14-Jan																			
15-Jan																			
16-Jan																			
17-Jan																			
18-Jan																			
19-Jan																			
20-Jan																			
21-Jan																			
22-Jan																			
23-Jan																			
24-Jan																			
25-Jan																			
26-Jan																			
27-Jan																			
28-Jan																			
29-Jan																			
30-Jan																			
31-Jan																			

Chlorine 1 ppm - 8 ppm
 PH 7.2 - 7.8
 Alk 60 ppm - 180 ppm
 Spa Temp 104 degree max

Dates	Pool Condition	Chlorine Pool	Chlorine Spa	Ph Pool	Ph Spa	Alk Pool	Alk Spa	Spa Temp	Chlorine	Soda Ash	Muradic Acid	Clarifier	Algacide	Gate	Deck Condition	Life Hook	Life Ring	Life Rope	Main Drains	
Sample	Good	4.0	5.0	7.2	7.4	80	100	101	X	X		X	X	X	Good	X	X	X	X	
1-Feb																				
2-Feb																				
3-Feb																				
4-Feb																				
5-Feb																				
6-Feb																				
7-Feb																				
8-Feb																				
9-Feb																				
10-Feb																				
11-Feb																				
12-Feb																				
13-Feb																				
14-Feb																				
15-Feb																				
16-Feb																				
17-Feb																				
18-Feb																				
19-Feb																				
20-Feb																				
21-Feb																				
22-Feb																				
23-Feb																				
24-Feb																				
25-Feb																				
26-Feb																				
27-Feb																				
28-Feb																				

Chlorine 1 ppm - 8 ppm
 PH 7.2 - 7.8
 Alk 60 ppm - 180 ppm
 Spa Temp 104 degree max

Dates	Pool Condition	Chlorine Pool	Chlorine Spa	Ph Pool	Ph Spa	Alk Pool	Alk Spa	Spa Temp	Chlorine	Soda Ash	Muradic Acid	Clarifier	Algacide	Gate	Deck Condition	Life Hook	Life Ring	Life Rope	Main Drains
Sample	Good	4.0	5.0	7.2	7.4	80	100	101	X	X		X	X	X	Good	X	X	X	X
1-Mar																			
2-Mar																			
3-Mar																			
4-Mar																			
5-Mar																			
6-Mar																			
7-Mar																			
8-Mar																			
9-Mar																			
10-Mar																			
11-Mar																			
12-Mar																			
13-Mar																			
14-Mar																			
15-Mar																			
16-Mar																			
17-Mar																			
18-Mar																			
19-Mar																			
20-Mar																			
21-Mar																			
22-Mar																			
23-Mar																			
24-Mar																			
25-Mar																			
26-Mar																			
27-Mar																			
28-Mar																			
29-Mar																			
30-Mar																			